

Graham, Benita

From: Opila, MaryCate
Sent: Tuesday, October 31, 2017 8:53 AM
To: 'Maranche, Jason'
Cc: Etzel, Sandra; 'Truchan, JoAnn'; Jones, Leslie
Subject: RE: SO2 Installation Permits

Hi Jason,

Thank you for your efforts on the SO2 Installation permits for Braddock Recovery, US Steel Irvin, US Steel Clairton, and US Steel Edgar Thomson. We consider our comments to be addressed and do not have any additional comments at this time. EPA's 45-day review expires on 11/2/17.

Please feel free to contact either Leslie or me with any questions or concerns.

Regards,
Mary Cate

Mary Cate Opila, P.E., Ph.D.
EPA Region III
Air Protection Division
Office of Permits and State Programs (3AP10)
1650 Arch Street
Philadelphia, PA 19103
215-814-2041

From: Maranche, Jason [mailto:Jason.Maranche@AlleghenyCounty.US]
Sent: Monday, September 18, 2017 5:59 PM
To: Jones, Leslie <Jones.Leslie@epa.gov>; Opila, MaryCate <Opila.MaryCate@epa.gov>
Cc: Etzel, Sandra <Sandra.Etzel@AlleghenyCounty.US>
Subject: SO2 Installation Permits

Leslie and Mary Cate:

Attached is our summary of comments and responses for the SO2 SIP installation permits, along with a transcript of the hearing and the final installation permits. (All 4 permits are in 1 pdf.)

The final SO2 SIP dated 9-14-2017 is now available on the ACHD web site under SIP Revision 82: <http://www.achd.net/air/regulations.html>. Appendix K contains redacted versions of the permits.

The SIP was delivered to PA DEP last Friday. Let us know if you have any questions. My job now is to finish a PM2.5 SIP....

-Jason



Jason Maranche

A.P.C. Engineer III
Air Quality Program
301 39th St., Bldg. 7
Pittsburgh, PA 15201
phone: 412-578-8104
email: Jason.Maranche@AlleghenyCounty.US

Confidentiality Notice: This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure, forwarding, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.